

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES STATE PUBLIC HEALTH LABORATORY

BREATH ALCOHOL PROGRAM

	MAINTENANCE REPORT	DECEMEN BIRDER	
Complete this report at the time of the regular monthly preventive maintenance RECEIVED			
days). Complete this report whenever the instrument is serviced or repaired and By Carol Day at 2:45 pm, Dec 31, 2014 into service. Retain the original and send a copy within 15 days to the Breath Alcohol Program, DHSS.			
INTOX EC/IR II SN	NAME OF AGENCY	DATE OF INSPECTION	
12685	SPRINGFIELD PD (GC JAIL)	12/24/2014	
LOCATION OF INSTRUMENT (STREET AND CITY	· · · · · · · · · · · · · · · · · · ·	TIME OF INSPECTION	
1000 N BOONVILLE SPRINGFIELD,	MO. 65802	12:38 CST	
CHECKLIST: Place a mark in the box	by each item if found to be satisfac	I tory or is operating within	
established limits. (Write in obse	rved values where determined). Unmar		
before using instrument.			
X DIAGNOSTIC RECORD			
X BLANK CHECK	X CO2 CHECK		
X FC 1 TEMP	X FLOW CHECK		
X SRC TEMP	X FCB CHECK		
X DET TEMP	X CRC COMP CHE	СК	
X BT TEMP	X CRC CAL CHEC	K	
X STD 2 TEMP	X PRINT TEST		
X ETH CHECK			
BREATH ANALYZER ACCURACY STANDA	ARDS		
SIMULATOR SOLUTION	X COMPRESSED E	PHANOL-GAS MIXTURE	
X STANDARD SUPPLIER intox:	imeters LOT# AG322402	EXP. DATE 08/12/2015	
SIMULATOR TEMP (34°C +0.2°C)	SIMULATOR S/N	SIMULATOR EXP DATE	
X CALIBRATION CHECK - (ONLY ONE	S STANDARD IS TO BE USED PER MAINT		
Run three tests using a stand	ard solution. All three tests mu	st be within +5% of the standard value	
Run three tests using a stand	ard solution. All three tests mu		
Run three tests using a standand must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ	Hard solution. All three tests mu 15 or less. Mark the box correspond BETWEEN 0.095% AND 0.105% INCLUSI	est be within <u>+</u> 5% of the standard value onding to the standard solution being	
Run three tests using a stand and must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ	Hard solution. All three tests mu 15 or less. Mark the box correspond BETWEEN 0.095% AND 0.105% INCLUSI BETWEEN 0.076% AND 0.084% INCLUSI	st be within <u>+</u> 5% of the standard value onding to the standard solution being VE VE	
Run three tests using a stand and must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ	Hard solution. All three tests mu 15 or less. Mark the box correspond BETWEEN 0.095% AND 0.105% INCLUSI	st be within <u>+</u> 5% of the standard value onding to the standard solution being VE VE	
Run three tests using a stand and must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ	Pard solution. All three tests mu of or less. Mark the box correspondence of the corresponding of the correspondin	est be within <u>+</u> 5% of the standard value onding to the standard solution being VE VE VE	
Run three tests using a standard must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ	Rard solution. All three tests mu 5 or less. Mark the box correspond BETWEEN 0.095% AND 0.105% INCLUSI BETWEEN 0.076% AND 0.084% INCLUSI BETWEEN 0.038% AND 0.042% INCLUSI TEST 2 0.099 g/210L	test be within ±5% of the standard value onding to the standard solution being EVE EVE VE TEST 3 ** 0.099 g/210L	
Run three tests using a standard must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ	Pard solution. All three tests mu of or less. Mark the box correspondence of the corresponding of the correspondin	test be within ±5% of the standard value onding to the standard solution being EVE EVE VE TEST 3 ** 0.099 g/210L	
Run three tests using a stand and must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREATH T	Bard solution. All three tests mu 5 or less. Mark the box correspondence BETWEEN 0.095% AND 0.105% INCLUSI BETWEEN 0.076% AND 0.084% INCLUSI BETWEEN 0.038% AND 0.042% INCLUSI TEST 2 0.099 g/210L ESTS IN THE FOLLOWING RANGES SINCE	st be within ±5% of the standard value onding to the standard solution being VE VE VE TEST 3 ** 0.099 g/210L E THE LAST MAINTENANCE REPORT:	
Run three tests using a stand and must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREATH T	Bard solution. All three tests mu 5 or less. Mark the box correspondence of the service of the s	test be within ±5% of the standard value anding to the standard solution being to the test of the standard solution being to the standard solution solution to the standard solution solutio	
Run three tests using a stand and must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREATH T	Bard solution. All three tests mu 5 or less. Mark the box correspondence of the service of the s	test be within ±5% of the standard value anding to the standard solution being to the test of the standard solution being to the standard solution solution to the standard solution solutio	
Run three tests using a stand and must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 0 004 4 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE	Bard solution. All three tests mu 5 or less. Mark the box correspondence of the service of the s	test be within ±5% of the standard value anding to the standard solution being to the test of the standard solution being to the standard solution solution to the standard solution solutio	
Run three tests using a stand and must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 0 004 4 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE	Bard solution. All three tests mu 5 or less. Mark the box correspondence of the service of the s	test be within ±5% of the standard value anding to the standard solution being to the test of the standard solution being to the standard solution solution to the standard solution solutio	
Run three tests using a stand and must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 0 004 4 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE SATISFACTORILY AND WITHIN ESTABLISHED LI	Bard solution. All three tests mu 5 or less. Mark the box correspondence of the service of the s	test be within ±5% of the standard value anding to the standard solution being to the test of the standard solution being to the standard solution solution to the standard solution solutio	
Run three tests using a stand and must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 0 004 4 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE SATISFACTORILY AND WITHIN ESTABLISHED LI	Bard solution. All three tests mu 5 or less. Mark the box correspondence of the service of the s	test be within ±5% of the standard value anding to the standard solution being to the test of the standard solution being to the standard solution solution to the standard solution solutio	
Run three tests using a stand and must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 0 004 4 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE SATISFACTORILY AND WITHIN ESTABLISHED LI	Bard solution. All three tests mu 5 or less. Mark the box correspondence of the service of the s	test be within ±5% of the standard value anding to the standard solution being to the test of the standard solution being to the standard solution solution to the standard solution solutio	
Run three tests using a stand and must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 0 004 4 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE SATISFACTORILY AND WITHIN ESTABLISHED LI MEETS DEPT OF HLTH STD	Bard solution. All three tests mu 5 or less. Mark the box correspondence of the service of the s	test be within ±5% of the standard value anding to the standard solution being to the test of the standard solution being to the standard solution solution to the standard solution solutio	
Run three tests using a stand and must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 0 004 4 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE SATISFACTORILY AND WITHIN ESTABLISHED LI MEETS DEPT OF HLTH STD INSPECTING OFFICER SIGNATURE	Bard solution. All three tests mu be or less. Mark the box correspondence of the service of the	test be within ±5% of the standard value onding to the standard solution being VE VE VE TEST 3 ** 0.099 g/210L E THE LAST MAINTENANCE REPORT: .1519 3 OVER .19 3 STORE THE INSTRUMENT TO OPERATE	
Run three tests using a stand and must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 0 004 4 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE SATISFACTORILY AND WITHIN ESTABLISHED LI MEETS DEPT OF HLTH STD INSPECTING OFFICER SIGNATURE TYPE II PERMIT NUMBER EXPIRATE	BETWEEN 0.095% AND 0.105% INCLUSI BETWEEN 0.076% AND 0.084% INCLUSI BETWEEN 0.038% AND 0.042% INCLUSI TEST 2 0.099 g/210L ESTS IN THE FOLLOWING RANGES SINCE .0509 2 .1014 1 RATION OR MODIFICATION THAT WAS MADE TO REMAITS (USE OTHER SIDE IF NECESSARY). PRINT FULL NAME D'ANDREA, TON' TELEPHONE NUMBER	test be within ±5% of the standard value onding to the standard solution being VE VE VE TEST 3 ** 0.099 g/210L E THE LAST MAINTENANCE REPORT: .1519 3 OVER .19 3 STORE THE INSTRUMENT TO OPERATE	
Run three tests using a stand and must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 0 004 4 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE SATISFACTORILY AND WITHIN ESTABLISHED LI MEETS DEPT OF HLTH STD INSPECTING OFFICER SIGNATURE TYPE II PERMIT NUMBER EXPIRATE	Bard solution. All three tests mu be or less. Mark the box correspondence of the service of the	test be within ±5% of the standard value onding to the standard solution being VE VE VE TEST 3 ** 0.099 g/210L E THE LAST MAINTENANCE REPORT: .1519 3 OVER .19 3 STORE THE INSTRUMENT TO OPERATE	
Run three tests using a stand and must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREATH T REFUSALS 0 004 4 LIST ANY NEW PARTS AND DESCRIBE ANY ALTE SATISFACTORILY AND WITHIN ESTABLISHED LI MEETS DEPT OF HLTH STD INSPECTING OFFICER SIGNATURE TYPE II PERMIT NUMBER EXPIRATE	BETWEEN 0.095% AND 0.105% INCLUSI BETWEEN 0.076% AND 0.084% INCLUSI BETWEEN 0.038% AND 0.042% INCLUSI TEST 2 0.099 g/210L ESTS IN THE FOLLOWING RANGES SINC .0509 2 .1014 1 RATION OR MODIFICATION THAT WAS MADE TO REMAINS (USE OTHER SIDE IF NECESSARY). PRINT FULL NAME D'ANDREA, TONY TELEPHONE NUMBER 4/2015 (417) 864-1810	test be within ±5% of the standard value onding to the standard solution being VE VE VE TEST 3 ** 0.099 g/210L E THE LAST MAINTENANCE REPORT: .1519 3 OVER .19 3 STORE THE INSTRUMENT TO OPERATE	
Run three tests using a stand and must have a spread of .00 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ TEST 1 0.099 g/210L INDICATE THE NUMBER OF BREATH THE SATISFACTORILY AND WITHIN ESTABLISHED LIMETS DEPT OF HLTH STD INSPECTING OFFICER SIGNATURE TYPE IT PERMIT NUMBER EXPIRATE 230183 RETURN COMPLETED REPORT TO Breath Alcohol Program, Misse	BETWEEN 0.095% AND 0.105% INCLUSI BETWEEN 0.076% AND 0.084% INCLUSI BETWEEN 0.038% AND 0.042% INCLUSI TEST 2 0.099 g/210L ESTS IN THE FOLLOWING RANGES SINC .0509 2 .1014 1 RATION OR MODIFICATION THAT WAS MADE TO REMAINS (USE OTHER SIDE IF NECESSARY). PRINT FULL NAME D'ANDREA, TONY TELEPHONE NUMBER 4/2015 (417) 864-1810	Senior Services,	



Airgas USA LLC (LAB) 3500 Bernard Street St. Louis, Mo. 63103 Ph: (314) 533-3100

Fax: (314) 533-7328

Certificate of Analysis

Customer Name

Intoximeters, Inc. 2081 Craig Road St. Louis, Mo 63146 Test Date: 13-Aug-2013

Lot # AG322402

Exp. Date

Cyl. Type

Component

Certified Concentration

12-Aug-2015

108

Ethanol Nitrogen 0.100 ± 2% BrAC (272 ppm)

Balance '

Certification Traceable to N.I.S.T. RGM Ethanol Standards:

 Serial No.
 Concentration

 EB0010581
 391.8 ppm

 EB0010570
 259.8 ppm

 EB0010285
 209.0 ppm

 EB0010561
 103.7 ppm

 EB0010681
 52.22 ppm

Serial No. EB0010603 EB0010559 EB0010595 EB0010562 EB0010579 Concentration 392.5 ppm 258.9 ppm 208.9 ppm 104.9 ppm 52.94 ppm

Analytical Method:

NDIR

Digitally signed by Quality Control Date: 2013.08.13 14:31:53 -05:00 Reason: Dry gas standard certification of analysis Location: Airgas USA LLC (Lab)

Analvst:

Norl Marsola Rod Marsala

ISO 17025;2005 A2LA accredited. Certificate Number 2989.01



STATE OF MISSOURI

DEPARTMENT OF HEALTH AND SENIOR SERVICES
BREATH ALCOHOL PROGRAM



PERMIT TYPE II

TONY D'ANDREA

is hereby authorized to instruct and supervise operators, train instructors, inspect, calibrate, perform field service and repairs, and operate the following breath analyzer(s):

DATAMASTER, INTOX EC/IR II

for the determination of the alcoholic content of blood from a sample of expired air. Permit issued under the provisions of sections 577.020 through 577.041, RSMo and 306.111 through 306.119 RSMo.

DATE9/4/2013	wond
UAIE	DIRECTOR OF STATE PUBLIC HEALTH LABORATORY
NUMBER 230183	Dal Vasterly
EXPIRES 9/4/2015	ncting director DIRECTOR OF DEPARTMENT OF HEALTH AND SENIOR SERVICES
	LAPA (DE 16)

MO 580-0771 (8-10)



Operator D'ANDREA, TONY

Permit No 230183

Date Issued 9/4/2013 Date Expires 9/4/2015